

EXHIBIT A



US00D614063S

(12) **United States Design Patent**
Shin(10) **Patent No.:** **US D614,063 S**(45) **Date of Patent:** **** Apr. 20, 2010**(54) **WARNING LIGHT LENS**(76) **Inventor:** **David D Shin, 7322 Madison St.,
Paramount, CA (US) 90723**(**) **Term:** **14 Years**(21) **Appl. No.:** **29/352,301**(22) **Filed:** **Dec. 18, 2009**(51) **LOC (9) Cl.** **10-05**(52) **U.S. Cl.** **D10/114**(58) **Field of Classification Search** **D10/109,
D10/111, 114; D26/29-31, 60, 37, 24; 362/158,
362/171-174, 183-208**

See application file for complete search history.

(56)

References Cited**U.S. PATENT DOCUMENTS**

D118,717 S	1/1940	Alm	
3,093,320 A	6/1963	Knapp	
D205,957 S	10/1966	Skokie	
D215,117 S	9/1969	Stahl	
D221,106 S	7/1971	Tixier	
4,020,047 A	4/1977	Burland	
D246,131 S	10/1977	Schiffrin	
D246,330 S *	11/1977	Krase et al.	D26/76
D248,791 S	8/1978	Tixier	
D255,883 S	7/1980	Ferenc	
D282,687 S	2/1986	McMahon	
D352,914 S	11/1994	Sours	
D375,180 S	10/1996	Lyons	
D397,633 S *	9/1998	Yang et al.	D10/111
D402,576 S	12/1998	Yang et al.	
D407,168 S *	3/1999	Arakelian	D26/28
D414,712 S *	10/1999	Yang et al.	D10/111
D483,511 S	12/2003	Lay	
D530,437 S	10/2006	Neufeglise	
D542,948 S	5/2007	Columbro	
D564,108 S	3/2008	Lassen	
D583,695 S *	12/2008	Grote, Jr.	D10/109

D584,180 S	1/2009	Pokorny
D589,835 S	4/2009	Pokorny
D591,187 S	4/2009	Pokorny
D591,188 S	4/2009	Pokorny
D593,428 S	6/2009	Lyons
D595,172 S	7/2009	Pokorny
2005/0190553 A1	9/2005	Lynch et al.

* cited by examiner

Primary Examiner—Caron Veynar*Assistant Examiner*—George D Kirschbaum(74) *Attorney, Agent, or Firm*—Kirk A. Buhler, Buhler & Associates(57) **CLAIM**

The ornamental design of a warning light lens, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view for a warning light lens showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a right view, the opposite left side is a mirror image thereof;

FIG. 4 is a bottom view thereof;


FIG. 5 is a front view, the opposite back side is a mirror image thereof;

FIG. 6 is a cross-sectional view taken along lines 6—6 from FIG. 4 thereof;

FIG. 7 is a cross-sectional view taken along lines 7—7 from FIG. 4; and,

FIG. 8 is a perspective view of the warning light lens with environmental mounted hardware.

The broken lines in FIG. 8 depict environmental subject matter of mounting hardware for the invention only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets

U.S. Patent

Apr. 20, 2010

Sheet 1 of 4

US D614,063 S




FIG. 1

U.S. Patent

Apr. 20, 2010

Sheet 2 of 4

US D614,063 S




FIG. 2



FIG. 3




FIG. 4

U.S. Patent

Apr. 20, 2010

Sheet 3 of 4

US D614,063 S




FIG. 5




FIG. 6

U.S. Patent

Apr. 20, 2010

Sheet 4 of 4

US D614,063 S




FIG. 7




FIG. 8

EXHIBIT B

DTM MOTORS INC

PATENT NUMBER


MODEL NAME, COLOR
AND SIZES


D614,063S

EMERGENCY TRAFFIC
ADVISORY WARNING
STROBE LIGHT BAR
COLORS: RED,
RED/CLEAR, AMBER,
AMBER/CLEAR, BLUE.
BLUE/CLEAR
CLEAR

SIZES: 9.5", 14", 18", 27"
31.5", & 35.5"

Item Number: 4-LED-HS-
52023






D614,063S

Item Number: 4-LED-HS-52028

32 LED HIGH POWER
EMERGENCY STROBE
LIGHTS WITH
MAGNETIC
BASE

COLORS: RED,
RED/CLEAR, AMBER,
AMBER/CLEAR, BLUE.
BLUE/CLEAR
CLEAR




D614,063S

Item Number: 4-LED-52010B

LED HIGH POWER
EMERGENCY STROBE
LIGHTS WITH
MAGNETIC
BASE

COLORS: RED,
RED/CLEAR, AMBER,
AMBER/CLEAR, BLUE.
BLUE/CLEAR
CLEAR





Item Number: 4-LED-51055

4 LED EMERGENCY
STROBE
LIGHTS WITH 12V
CIGARETTE
LIGHTER ADAPTER

D614,063S

COLORS: RED, AMBER,
RED/BLUE, BLUE,
CLEAR




Item Number: 4-LED-HS-52007-4

16 LED HIGH POWER

GRILLE STROBE LIGHTS

D614,063S

COLORS: RED,
RED/CLEAR, AMBER,
AMBER/CLEAR, BLUE.
BLUE/CLEAR
CLEAR



D614,063S

Item Number: 4-LED-
51057

8 LED EMERGENCY
STROBE
LIGHTS WITH 12V
CIGARETTE
LIGHTER ADAPTER

COLORS: RED,
RED/CLEAR, AMBER,
AMBER/CLEAR, BLUE.
BLUE/CLEAR
CLEAR